

**TABLE 1: ALCOHOL-RELATED FATALITIES IN MOTOR VEHICLE TRAFFIC CRASHES
New Hampshire, FARS 2001 (FINAL), 2002 (ARF)**

| Fatalities by County | YEAR | | | | | |
|----------------------------|-------|------------------|---------|-------|------------------|---------|
| | 2001 | | | 2002 | | |
| | Total | Alcohol-Related* | | Total | Alcohol-Related* | |
| | Num | Num | Percent | Num | Num | Percent |
| COUNTY | | | | | | |
| Belknap County | 16 | 8 | 50 | 5 | 5 | 100 |
| Carroll County | 15 | 7 | 48 | 10 | 6 | 59 |
| Cheshire County | 7 | 3 | 43 | 4 | 2 | 50 |
| Coos County | 12 | 7 | 60 | 5 | 3 | 60 |
| Grafton County | 7 | 4 | 57 | 11 | 4 | 36 |
| Hillsborough County | 23 | 10 | 42 | 33 | 12 | 37 |
| Merrimack County | 20 | 10 | 52 | 21 | 5 | 25 |
| Rockingham County | 24 | 12 | 48 | 17 | 7 | 41 |
| Strafford County | 11 | 4 | 38 | 17 | 6 | 35 |
| Sullivan County | 7 | 2 | 29 | 4 | 1 | 28 |
| New Hampshire Total | 142 | 67 | 47 | 127 | 51 | 40 |

*State Alcohol Related Fatality totals may not equal sum of county totals due to independent rounding. Also, percentages as displayed are calculated from unrounded number of estimated fatalities and may not equal those calculated from the rounded numbers (especially for counties with very few fatalities).

Source: National Center for Statistics and Analysis, Fatality Analysis Reporting System (FARS) 2001 Final and 2002 Annual Report File

TABLE 2: FATALITIES AND FATALITY RATE IN ALL AND ALCOHOL-RELATED CRASHES PER 100 MILLION VMT

New Hampshire, FARS 1982-2001 (FINAL) AND 2002 (ARF)

| State | Tot | Alc-Rel | Alc-Rel | Tot (Rate)* | Alc-Rel (Rate)* |
|-------|-----|---------|---------|----------------|--------------------|
| | | | % | | |
| 1982 | 173 | 111 | 64 | 2.48 | 1.59 |
| 1983 | 191 | 103 | 54 | 2.66 | 1.43 |
| 1984 | 192 | 109 | 57 | 2.63 | 1.49 |
| 1985 | 191 | 132 | 69 | 2.53 | 1.75 |
| 1986 | 172 | 139 | 81 | 2.17 | 1.76 |
| 1987 | 179 | 93 | 52 | 1.95 | 1.01 |
| 1988 | 166 | 84 | 51 | 1.73 | 0.88 |
| 1989 | 187 | 93 | 50 | 1.90 | 0.95 |
| 1990 | 158 | 77 | 48 | 1.61 | 0.78 |
| 1991 | 144 | 67 | 46 | 1.45 | 0.67 |
| 1992 | 122 | 40 | 32 | 1.21 | 0.40 |
| 1993 | 121 | 52 | 43 | 1.17 | 0.50 |
| 1994 | 119 | 50 | 42 | 1.13 | 0.48 |
| 1995 | 118 | 47 | 39 | 1.11 | 0.44 |
| 1996 | 134 | 47 | 35 | 1.22 | 0.43 |
| 1997 | 125 | 60 | 48 | 1.12 | 0.54 |
| 1998 | 128 | 63 | 49 | 1.11 | 0.54 |
| 1999 | 140 | 66 | 47 | 1.18 | 0.55 |
| 2000 | 126 | 49 | 39 | 1.05 | 0.41 |
| 2001 | 142 | 67 | 47 | 1.15 | 0.54 |
| 2002 | 127 | 51 | 40 | 1.01 | 0.41 |

*Based on VMT from FHWA's Highway Statistics Series

Source: National Center for Statistics and Analysis, Fatality Analysis Reporting System (FARS) 1982-2001 (Final), 2002 Annual Report File

**TABLE 3: PERCENTAGE CHANGE IN ALCOHOL-RELATED FATALITY RATES OVER TIME
New Hampshire vs. US**

| | Since 1982 | Last 10 Years | Last 5 Years | Last 3 Years | Last Year |
|----------------------|---------------|---------------------|--------------------|--------------------|--------------|
| | % | % | % | % | % |
| State | | | | | |
| New Hampshire | -74 | 3 | -24 | -25 | -24 |

*Based on VMT from FHWA's Highway Statistics Series

Source: National Center for Statistics and Analysis, Fatality Analysis Reporting System (FARS) 1982-2001 (Final), 2002 Annual Report File